

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT: Jerry L. Nadler
Rama Natarajan

5 (ii) TITLE OF INVENTION: Human Leukocyte 12-
Lipoxygenase and Its Role in the
Pathogenesis of Disease States

(iii) NUMBER OF SEQUENCES: 12

(iv) CORRESPONDENCE ADDRESS:

10 (A) ADDRESSEE: City of Hope

(B) STREET: 1500 East Duarte Road

(C) CITY: Duarte

(D) STATE: California

(E) COUNTRY: United States of America

15 (F) ZIP: 91010-0269

(v) COMPUTER READABLE FORM:

(A) MEDIUM TYPE: 3M Double Density 5 1/4"
diskette

(B) COMPUTER: Wang PC

20 (C) OPERATING SYSTEM: MS DOS Version 3.20

(D) SOFTWARE: Wordperfect

(vi) CURRENT APPLICATION DATA:

(A) APPLICATION NUMBER:

(B) FILING DATE: 04 May 1995

25 (C) CLASSIFICATION: Unknown

(vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: PCT/US94/00089

-55-

- (B) FILING DATE: 4 January 1994
- (C) APPLICATION NUMBER: 07/936,660
- (D) FILING DATE: 28 August 1992

(viii) ATTORNEY/AGENT INFORMATION:

- 5 (A) NAME: Irons, Edward S.
- (B) REGISTRATION NUMBER: 16,541
- (C) REFERENCE/DOCKET NUMBER: None

(ix) TELECOMMUNICATION INFORMATION:

- 10 (A) TELEPHONE: (202) 783-6040
- (B) TELEFAX: (202) 783-6031
- (C) TELEX: None

(2) INFORMATION FOR SEQ ID NO: 1:

(i) SEQUENCE CHARACTERISTICS:

- 15 (A) LENGTH: 23
- (B) TYPE: Nucleotide
- (C) STRANDEDNESS: Single
- (D) TOPOLOGY: Linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

AACCTCAAGGT GGAACCTACCG GAG

23

20 (2) INFORMATION FOR SEQ ID NO: 2:

(i) SEQUENCE CHARACTERISTICS:

- 25 (A) LENGTH: 24
- (B) TYPE: Nucleotide
- (C) STRANDEDNESS: Single
- (D) TOPOLOGY: Linear

-56-

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:

ATATAGTITG GCCCCAGCCA TATT

24

(2) INFORMATION FOR SEQ ID NO: 3:

(i) SEQUENCE CHARACTERISTICS:

5

(A) LENGTH: 20

(B) TYPE: Nucleotide

(C) STRANDEDNESS: Single

(D) TOPOLOGY: Linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:

10 AGGCTCAGGA CGCCGTTGCC

20

(2) INFORMATION FOR SEQ ID NO: 4:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 21

(B) TYPE: Nucleotide

15

(C) STRANDEDNESS: Single

(D) TOPOLOGY: Linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

TTCAGTGTAG ACGTGTCGGA G

21

(2) INFORMATION FOR SEQ ID NO: 5:

20

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 25

(B) TYPE: Nucleotide

(C) STRANDEDNESS: Single

(D) TOPOLOGY: Linear

-57-

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

ATGTATGCCG GTGCTGGCTA TATTT 25

(2) INFORMATION FOR SEQ ID NO: 6:

(i) SEQUENCE CHARACTERISTICS:

- 5 (A) LENGTH: 22
(B) TYPE: Nucleotide
(C) STRANDEDNESS: Single
(D) TOPOLOGY: Linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

10 TCAGGATGCG GTCGCCCTCC AC 22

(2) INFORMATION FOR SEQ ID NO: 7:

(i) SEQUENCE CHARACTERISTICS:

- 15 (A) LENGTH: 21
(B) TYPE: Nucleotide
(C) STRANDEDNESS: Single
(D) TOPOLOGY: Linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:

CCCATCACCA TCTTCAGGA G 21

(2) INFORMATION FOR SEQ ID NO: 8:

20 (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 21
(B) TYPE: Nucleotide
(C) STRANDEDNESS: Single
(D) TOPOLOGY: Linear

-58-

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:

GTTCTCATGG ATGACCTTG C 21

(2) INFORMATION FOR SEQ ID NO: 9:

(i) SEQUENCE CHARACTERISTICS:

- 5 (A) LENGTH: 21
(B) TYPE: Nucleotide
(C) STRANDEDNESS: Single
(D) TOPOLOGY: Linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:

10 CTAAGCAGTT GGTGGTGCAG G 21

(2) INFORMATION FOR SEQ ID NO: 10:

(i) SEQUENCE CHARACTERISTICS:

- 15 (A) LENGTH: 21
(B) TYPE: Nucleotide
(C) STRANDEDNESS: Single
(D) TOPOLOGY: Linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:

GATGATCTAC CTCCAAATAT G 21

(2) INFORMATION FOR SEQ ID NO: 11:

20 (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 21
(B) TYPE: Nucleotide
(C) STRANDEDNESS: Single
(D) TOPOLOGY: Linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:

CTGGCCCCAG AAGATCTGAT C

21

(2) INFORMATION FOR SEQ ID NO: 12:

(i) SEQUENCE CHARACTERISTICS:

5 (A) LENGTH: 22

(B) TYPE: NucTeotide

(C) STRANDEDNESS: Single

(D) TOPOLOGY: Linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:

10 GTTTGAGGGC CATCTCCAGA GC

22

CONCLUSIONS

SEQUENCE LISTING

- <110> Nadler, Jerry L.
Natarajan, Rama
- <120> Human Leukocyte 12-Lipoxygenase and its Role in the
Pathogenesis of Disease States
- <130> 1954-363
- <140>
- <141>
- <150> US 08/945,744
- <151> 1997-11-03
- <150> PCT/US96/06328
- <151> 1996-05-03
- <150> US 08/434,681
- <151> 1995-05-03
- <150> PCT/US94/00089
- <151> 1994-01-04
- <150> US 07/936,660
- <151> 1992-08-28
- <160> 12
- <170> PatentIn Ver. 2.1
- <210> 1
- <211> 23
- <212> DNA
- <213> Artificial Sequence
- <220>
- <223> Description of Artificial Sequence: 5' Primer for
human 15-LO
- <400> 1
aactcaaggt ggaactaccg gag
- <210> 2
- <211> 25
- <212> DNA
- <213> Artificial Sequence
- <220>

23

<223> Description of Artificial Sequence: 3' Primer for human 15-LO

<220>

<221> variation

<222> (8)

<223> n = inosine

<400> 2

atatagtntg gccccagcca tattu

25

<210> 3

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Probe for human 15-LO

<400> 3

aggctcagga cgccgttgcc

20

<210> 4

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: 5'Primer for porcine leukocyte 12-LO

<400> 4

ttcagtgtag acgtgtcgga g

21

<210> 5

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: 3' Primer for porcine leukocyte 12-LO

<400> 5

atgtatgccg gtgctggcta tattt

25

<210> 6
 <211> 22
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Probe for
 porcine leukocyte 12-L0

 <400> 6
 tcaggatgcg gtcgccctcc ac 22

 <210> 7
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: 5' Primer for
 human GAPDH

 <400> 7
 cccatcacca tcttccagga g 21

 <210> 8
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: 3' Primer for
 human GAPDH

 <400> 8
 gttctcatgg atgaccttgg c 21

 <210> 9
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Probe for
 human GAPDH

 <400> 9
 ctaagcagtt ggtggtgcag g 21

<210> 10
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: 5' Primer for
human platelet 12-LO

<400> 10
gatgatctac ctccaaatat g

21

<210> 11
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: 3' Primer for
human platelet 12-LO

<400> 11
ctggcccccag aagatctgat c

21

<210> 12
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Probe for
human platelet 12-LO

<400> 12
gtttgagggc catctccaga gc

22